

# nutrifield®

# Signature 1-Part Feedchart

### Important Notes

Base Nutrient is in G per L, Additives are in ml per L.  
EC and dosage values are a guide; results vary with water, temperature, and equipment. Add additives first, then base nutrients to reach target EC.

WEEK	EC
------	----

Established Seedlings	1.0
-----------------------	-----

Vegetative Cycle	1	1.6
	2	1.8
	3	1.8
	*4	1.8

*\*Repeat week 4 if extending Veg Stage*

Flowering Cycle	1	1.8
	2	1.8
	3	2.0
	4	2.0
	5	2.2
	6	2.0
	7	1.8
	*8	1.6

*\*Repeat week 8 until ripe if necessary*

**Base Nutrient**  
**Granular 1-Part**



**ALL PURPOSE GRANULAR FERTILISER**

0.5
-----

0.8
0.9
0.9
0.9

0.9
0.9
1.0
1.0
1.0
1.2
1.0
0.9
0.8

**Signature Additives**



**ROOT NECTAR**   **PK HEAVY**   **CRYSTALLINE**

1.0		
-----	--	--

1.0		
1.0		
1.0		
1.0		

1.0	0.5	
1.0	0.5	2.0
1.0	0.5	2.0
1.0	0.5	2.0
0.5	0.5	2.0
0.5	0.5	2.0
0.5		2.0
0.5		2.0

# nutrifield®

# Signature 2-Part Feedchart

### Important Notes

Dosages are in ml per L. EC and dosage values are a guide; results vary with water, temperature, and equipment. Add additives first, then base nutrients to reach target EC.

Base Nutrients	
Coco 2-Part	
<b>COCO A</b>	<b>COCO B</b>

Signature Additives		
<b>ROOT NECTAR</b>	<b>PK HEAVY</b>	<b>CRYSTALIC</b>

WEEK	EC
------	----

<b>1.5</b>	<b>1.5</b>
------------	------------

<b>1.0</b>		
------------	--	--

<b>Established Seedlings</b>	<b>1.1</b>
------------------------------	------------

<b>2.5</b>	<b>2.5</b>
<b>2.5</b>	<b>2.5</b>
<b>3.0</b>	<b>3.0</b>
<b>3.0</b>	<b>3.0</b>

<b>1.0</b>		
<b>1.0</b>		
<b>1.0</b>		
<b>1.0</b>		

<b>Vegetative Cycle</b>	<b>1</b>	<b>1.6</b>
	<b>2</b>	<b>1.6</b>
	<b>3</b>	<b>1.8</b>
	<b>*4</b>	<b>1.8</b>

*\*Repeat week 4 if extending Veg Stage*

<b>2.5</b>	<b>2.5</b>
<b>2.5</b>	<b>2.5</b>
<b>3.0</b>	<b>3.0</b>
<b>3.0</b>	<b>3.0</b>
<b>3.5</b>	<b>3.5</b>
<b>3.0</b>	<b>3.0</b>
<b>3.0</b>	<b>3.0</b>
<b>2.5</b>	<b>2.5</b>

<b>1.0</b>	<b>0.5</b>	
<b>1.0</b>	<b>0.5</b>	<b>2.0</b>
<b>1.0</b>	<b>0.5</b>	<b>2.0</b>
<b>1.0</b>	<b>0.5</b>	<b>2.0</b>
<b>0.5</b>	<b>0.5</b>	<b>2.0</b>
<b>0.5</b>	<b>0.5</b>	<b>2.0</b>
<b>0.5</b>		<b>2.0</b>
<b>0.5</b>		<b>2.0</b>

<b>Flowering Cycle</b>	<b>1</b>	<b>1.8</b>
	<b>2</b>	<b>1.8</b>
	<b>3</b>	<b>2.0</b>
	<b>4</b>	<b>2.0</b>
	<b>5</b>	<b>2.2</b>
	<b>6</b>	<b>2.0</b>
	<b>7</b>	<b>1.8</b>
	<b>*8</b>	<b>1.6</b>

*\*Repeat week 8 until ripe if necessary*

### Important Notes

Dosages are in ml per L. EC and dosage values are a guide; results vary with water, temperature, and equipment. Add additives first, then base nutrients to reach target EC.

WEEK	EC
------	----

Established Seedlings	1.1
-----------------------	-----

Vegetative Cycle	1	1.6
	2	1.6
	3	1.8
	*4	1.8

*\*Repeat week 4 if extending Veg Stage*

Flowering Cycle	1	1.8
	2	1.8
	3	2.0
	4	2.0
	5	2.2
	6	2.0
	7	1.8
	*8	1.6

*\*Repeat week 8 until ripe if necessary*

Base Nutrients	
Elements 4-Part	
GROW A	GROW B
BLOOM A	BLOOM B

2.0	2.0
-----	-----

Elements Grow	2.5	2.5
	2.5	2.5
	3.0	3.0
	3.0	3.0

Elements Bloom	3.0	3.0
	3.0	3.0
	3.5	3.5
	3.5	3.5
	4.0	4.0
	3.5	3.5
	3.0	3.0
	2.5	2.5

Signature Additives		
ROOT NECTAR	PK HEAVY	CRYSTALIC

1.0		
-----	--	--

1.0		
1.0		
1.0		
1.0		

1.0	0.5	
1.0	0.5	2.0
1.0	0.5	2.0
1.0	0.5	2.0
0.5	0.5	2.0
0.5	0.5	2.0
0.5		2.0
0.5		2.0

# nutrifield® Signature 1-Part High Output Feedchart

## Important Notes

Base Nutrient is in G per L, Additives are in ml per L.  
EC and dosage values are a guide; results vary with water, temperature, and equipment. Add additives first, then base nutrients to reach target EC.

WEEK	EC
------	----

Established Seedlings	1.0
-----------------------	-----

Vegetative Cycle	1	1.6
	2	1.8
	3	1.8
	*4	2.0

*\*Repeat week 4 if extending Veg Stage*

Flowering Cycle	1	2.5
	2	2.5
	3	2.8
	4	2.8
	5	3.0
	6	2.8
	7	2.6
	*8	1.6

*\*Repeat week 8 until ripe if necessary*

Base Nutrient  
Granular 1-Part



**ALL PURPOSE GRANULAR FERTILISER**

0.5
-----

0.8
0.9
0.9
0.9

1.0
1.2
1.2
1.4
1.5
1.4
1.3
0.8

Signature Additives



**ROOT NECTAR**   **PK HEAVY**   **CRYSTALLINE**

1.5		
-----	--	--

1.5		
1.5		
1.5		
1.5		

1.5	1.0	
1.5	1.0	3.0
1.5	1.0	3.0
1.5	1.0	3.0
1.0	1.0	3.0
1.0	1.0	3.0
0.5		3.0
0.5		3.0

# nutrifield<sup>®</sup> Signature 2-Part High Output Feedchart

## Important Notes

Dosages are in ml per L. EC and dosage values are a guide; results vary with water, temperature, and equipment. Add additives first, then base nutrients to reach target EC.

Base Nutrients	
Coco 2-Part	
<b>COCO A</b>	<b>COCO B</b>

Signature Additives		
<b>ROOT NECTAR</b>	<b>PK HEAVY</b>	<b>CRYSTALIC</b>

WEEK	EC
------	----

<b>1.5</b>	<b>1.5</b>
------------	------------

<b>1.5</b>		
------------	--	--

<b>Established Seedlings</b>	<b>1.1</b>
------------------------------	------------

<b>2.5</b>	<b>2.5</b>
<b>3.0</b>	<b>3.0</b>
<b>3.0</b>	<b>3.0</b>
<b>3.2</b>	<b>3.2</b>

<b>1.5</b>		
<b>1.5</b>		
<b>1.5</b>		
<b>1.5</b>		

<b>Vegetative Cycle</b>	<b>1</b>	<b>1.6</b>
	<b>2</b>	<b>1.8</b>
	<b>3</b>	<b>1.8</b>
	<b>*4</b>	<b>2.0</b>

*\*Repeat week 4 if extending Veg Stage*

<b>3.5</b>	<b>3.5</b>
<b>3.5</b>	<b>3.5</b>
<b>4.25</b>	<b>4.25</b>
<b>4.25</b>	<b>4.25</b>
<b>5.0</b>	<b>5.0</b>
<b>4.25</b>	<b>4.25</b>
<b>3.5</b>	<b>3.5</b>
<b>2.5</b>	<b>2.5</b>

<b>1.5</b>	<b>1.0</b>	
<b>1.5</b>	<b>1.0</b>	<b>3.0</b>
<b>1.5</b>	<b>1.0</b>	<b>3.0</b>
<b>1.5</b>	<b>1.0</b>	<b>3.0</b>
<b>1.0</b>	<b>1.0</b>	<b>3.0</b>
<b>1.0</b>	<b>1.0</b>	<b>3.0</b>
<b>0.5</b>		<b>3.0</b>
<b>0.5</b>		<b>3.0</b>

<b>Flowering Cycle</b>	<b>1</b>	<b>2.4</b>
	<b>2</b>	<b>2.4</b>
	<b>3</b>	<b>2.8</b>
	<b>4</b>	<b>2.8</b>
	<b>5</b>	<b>3.0</b>
	<b>6</b>	<b>2.8</b>
	<b>7</b>	<b>2.4</b>
	<b>*8</b>	<b>1.8</b>

*\*Repeat week 8 until ripe if necessary*

# nutrifield® Signature 4-Part High Output Feedchart

## Important Notes

Dosages are in ml per L. EC and dosage values are a guide; results vary with water, temperature, and equipment. Add additives first, then base nutrients to reach target EC.

Base Nutrients	
Elements 4-Part	
GROW A	GROW B
BLOOM A	BLOOM B

Signature		
Additives		
ROOT NECTAR	PK HEAVY	CRYSTALIC

WEEK	EC
------	----

2.0	2.0
-----	-----

1.5		
-----	--	--

Established Seedlings	1.1
-----------------------	-----

Vegetative Cycle	1	1.6
	2	1.8
	3	1.8
	*4	2.0

Elements Grow	2.5	2.5
	3.0	3.0
	3.0	3.0
	3.5	3.5

1.5		
1.5		
1.5		
1.5		

\*Repeat week 4 if extending Veg Stage

Flowering Cycle	1	2.4
	2	2.4
	3	2.8
	4	2.8
	5	3.0
	6	2.8
	7	2.4
	*8	1.8

Elements Bloom	4.0	4.0
	4.0	4.0
	4.5	4.5
	4.5	4.5
	5.0	5.0
	4.5	4.5
	4.0	4.0
	3.0	3.0

1.5	1.0	
1.5	1.0	3.0
1.5	1.0	3.0
1.5	1.0	3.0
1.0	1.0	3.0
1.0	1.0	3.0
0.5		3.0
0.5		3.0

\*Repeat week 8 until ripe if necessary

# nutrifield® 2-Part Feedchart

Always shake bottles first.  
Always add additives to correct dose, then add Nutrients to desired EC.

## Important Notes

Dosages are in ml per L. EC and dosage values are a guide; results vary with water, temperature, and equipment. Add additives first, then base nutrients to reach target EC.

WEEK

EC

## Base Nutrients

### Coco 2-Part

COCO A

COCO B

## Signature

### Additives

ROOT NECTAR

PK HEAVY

CRYSTALIC

## Bio

### Additives

VEG IGNITOR

CARGO BOOST

BUD BURST

Established Seedlings

1.1

1.5

1.5

1.0

Vegetative Cycle

1

1.6

2.5

2.5

1.0

0.2

1.0

2

1.6

2.5

2.5

1.0

0.3

1.0

3

1.8

3.0

3.0

1.0

0.5

1.0

\*4

1.8

3.0

3.0

1.0

0.5

1.0

\*Repeat week 4 if extending Veg Stage

Flowering Cycle

1

1.8

2.5

2.5

1.0

0.5

0.7

2.0

2

1.8

2.5

2.5

1.0

0.5

2.0

2.0

2.0

3

2.0

3.0

3.0

1.0

0.5

2.0

2.0

3.0

4

2.0

3.0

3.0

1.0

0.5

2.0

2.0

3.0

5

2.2

3.5

3.5

0.5

0.5

2.0

2.0

3.0

6

2.0

3.0

3.0

0.5

0.5

2.0

1.5

4.0

7

1.8

3.0

3.0

0.5

2.0

1.5

3.0

\*8

1.6

2.5

2.5

0.5

2.0

1.5

2.0

\*Repeat week 8 until ripe if necessary

Microbes:

Micro Thrive every week. Add into substrate directly. When using Microbes water must be dechlorinated.

Fulife:

Fulife is interchangeable with Cargo Boost. Use at Fulife dosage rate.

### Important Notes

Base Nutrient is in G per L, Additives are in ml per L.  
EC and dosage values are a guide; results vary with water, temperature, and equipment. Add additives first, then base nutrients to reach target EC.

Base Nutrients	
Coco 2-Part	
<b>COCO A</b>	<b>COCO B</b>

Bio Additives		
<b>VEG IGNITOR</b>	<b>CARGO BOOST</b>	<b>BUD BURST</b>

Optional
<b>PK HEAVY</b>

WEEK	EC
------	----

Established Seedlings	<b>1.0</b>
-----------------------	------------

<b>1.5</b>	<b>1.5</b>
------------	------------

--	--	--

--

Vegetative Cycle	<b>1</b>	<b>1.6</b>
	<b>2</b>	<b>1.8</b>
	<b>3</b>	<b>1.8</b>
	<b>*4</b>	<b>1.8</b>

<b>2.5</b>	<b>2.5</b>
<b>2.5</b>	<b>2.5</b>
<b>3.0</b>	<b>3.0</b>
<b>3.0</b>	<b>3.0</b>

<b>0.2</b>	<b>1.0</b>	
<b>0.3</b>	<b>1.0</b>	
<b>0.5</b>	<b>1.0</b>	
<b>0.5</b>	<b>1.0</b>	


*\*Repeat week 4 if extending Veg Stage*

Flowering Cycle	<b>1</b>	<b>1.8</b>
	<b>2</b>	<b>1.8</b>
	<b>3</b>	<b>2.0</b>
	<b>4</b>	<b>2.0</b>
	<b>5</b>	<b>2.2</b>
	<b>6</b>	<b>2.0</b>
	<b>7</b>	<b>1.8</b>
	<b>*8</b>	<b>1.6</b>

<b>2.5</b>	<b>2.5</b>
<b>2.5</b>	<b>2.5</b>
<b>3.0</b>	<b>3.0</b>
<b>3.0</b>	<b>3.0</b>
<b>3.5</b>	<b>3.5</b>
<b>3.0</b>	<b>3.0</b>
<b>3.0</b>	<b>3.0</b>
<b>2.5</b>	<b>2.5</b>

<b>0.7</b>	<b>2.0</b>	
	<b>2.0</b>	<b>2.0</b>
	<b>2.0</b>	<b>3.0</b>
	<b>2.0</b>	<b>3.0</b>
	<b>2.0</b>	<b>3.0</b>
	<b>1.5</b>	<b>4.0</b>
	<b>1.5</b>	<b>3.0</b>
	<b>1.5</b>	<b>2.0</b>

<b>0.5</b>
<b>0.5</b>
<b>0.5</b>
<b>0.5</b>
<b>0.5</b>

*\*Repeat week 8 until ripe if necessary*

### Microbes:

Micro Thrive every week. Add into substrate directly.  
When using Microbes water must be dechlorinated.

Always shake bottles first.  
Always add additives to correct dose, then add Nutrients to desired EC.

### Important Notes

Base Nutrient is in G per L, Additives are in ml per L. EC and dosage values are a guide; results vary with water, temperature, and equipment. Add additives first, then base nutrients to reach target EC.

**Base Nutrient**  
**Granular 1-Part**  
**ALL PURPOSE GRANULAR FERTILISER**

**Bio Additives**

**VEG IGNITOR**

**CARGO BOOST**

**BUD BURST**

**Optional**

**PK HEAVY**

WEEK	EC
------	----

Established Seedlings	<b>1.0</b>
-----------------------	------------

<b>0.5</b>
------------

--	--	--

--

<b>Vegetative Cycle</b>	<b>1</b>	<b>1.6</b>
	<b>2</b>	<b>1.8</b>
	<b>3</b>	<b>1.8</b>
	<b>*4</b>	<b>1.8</b>

<b>0.8</b>
<b>0.9</b>
<b>0.9</b>
<b>0.9</b>

<b>0.2</b>	<b>1.0</b>	
<b>0.3</b>	<b>1.0</b>	
<b>0.5</b>	<b>1.0</b>	
<b>0.5</b>	<b>1.0</b>	


*\*Repeat week 4 if extending Veg Stage*

<b>Flowering Cycle</b>	<b>1</b>	<b>1.8</b>
	<b>2</b>	<b>1.8</b>
	<b>3</b>	<b>2.0</b>
	<b>4</b>	<b>2.0</b>
	<b>5</b>	<b>2.2</b>
	<b>6</b>	<b>2.0</b>
	<b>7</b>	<b>1.8</b>
	<b>*8</b>	<b>1.6</b>

<b>0.9</b>
<b>0.9</b>
<b>1.0</b>
<b>1.0</b>
<b>1.2</b>
<b>1.0</b>
<b>0.9</b>
<b>0.8</b>

<b>0.7</b>	<b>2.0</b>	
	<b>2.0</b>	<b>2.0</b>
	<b>2.0</b>	<b>3.0</b>
	<b>2.0</b>	<b>3.0</b>
	<b>2.0</b>	<b>3.0</b>
	<b>1.5</b>	<b>4.0</b>
	<b>1.5</b>	<b>3.0</b>
	<b>1.5</b>	<b>2.0</b>

<b>0.5</b>
<b>0.5</b>
<b>0.5</b>
<b>0.5</b>
<b>0.5</b>

*\*Repeat week 8 until ripe if necessary*

### Microbes:

**Micro Thrive every week. Add into substrate directly. When using Microbes water must be dechlorinated.**

**Always shake bottles first. Always add additives to correct dose, then add Nutrients to desired EC.**